USA & CANADA

VIBIA®

LIGHTING THAT MAKES SENSE

Celling fixtures 7

Basiko 35
Big 10
Diana 36
Funnel 30
Glamour 66
Lotto 49
Mega 12
Mini Funnel 26
Puck 16
Quadra Ice 50
Quadra Ice Flat 56
Quadra Marc 54
Sandwich 40/44
Scotch 32
Tecto 58/63

Wall fixtures 71

Alpha 74/76/78
Basiko 115
Beta 90/92/94
Funnel 88
Mini Funnel 84
Mini Sandwich 109
Puck 116
Quadra Ice 113
Quadra Marc 112
Scotch 80/82
Slim 96
Swing 98/100
Swing Biluz 100
Tecto 103/105
Tulip 106

Bath fixtures 123

Llisa 134/137
Look 133
Millenium 129
Scotch 131

Pendants 139

Ameba 150/152
Big 156
Code 162
Duplo 184
Eight 186
Forest 174
Infinity 176
Jazz 198
Lotto 193
Mast 188
Nobel 194/197
Plis 181
Plis Outdoor 161
Slim 166/170/172
Tulip 190

Table lamps 203

Code 212
Forest 219
Jazz 208
Mast 217
Mini Sigma 206
Plis 220
Swing 215
Tulip 224

Floor lamps 229

Balance 254
Code 237
Duplo 246
Forest 238
Gigantic 250
Jazz 234
Mast 248
Plis 244
Swing 240/242

Outdoor 259

Break 278/282
Plis Outdoor 262/268
Scotch 276
Tree 272

Glossary 291
Item index 292

Ceiling fixtures

Basiko	35
Big	10
Diana	36
Funnel	30
Glamour	66
Lotto	49
Mega	12
Mini Funnel	26
Puck	16
Quadra Ice	50
Quadra Ice Flat	56
Quadra Marc	54
Sandwich	40/44
Scotch	32
Tecto	58/63

DIMMABLE UNIVERSAL BALLAST

Big

Design by Lievore, Altherr, Molina.

Chrome ring.
Acrylic diffuser.

0530-01.

2 x PL-L 120V-277V 36W
2 x PL-L 120V-277V 24W

Electronic ballast.
Dimmable universal ballast.



0531-01.

2 x PL-L 120V-277V 36W
2 x PL-L 120V-277V 24W

Electronic ballast.
Dimmable universal ballast.



BIG. Family
Pages: **A**-10. **B**-10. **C**-156. **D**-156.

0530-01.

ø 47 1/4″

Polythene top diffuser and acrylic bottom diffuser.

UNIVERSAL BALLAST

Mega
Design by Diego Fortunato.

Polished stainless steel / Satin stainless steel.
Polythene top diffuser and acrylic bottom diffuser.

0570-01.
Polished stainless steel.
0570-30.
Satin stainless steel.

6 x PL-L 120V-277V 36W

Electronic ballast.
Dimmable universal ballast.

0575-01.
Polished stainless steel.
0575-30.
Satin stainless steel.

6 x PL-L 120V-277V 24W

Electronic ballast.
Universal ballast.

0570-01.

STAINLESS STEEL

0570-01.



Ø 47 1/4"

0570-01.



5400-03-CFE.
1 x GX53 120V 9W Max.

5400-03-HAL.
1 x T-4 G9 120V 40W Max.



5410-03-CFE.
1 x GX53 120V 9W Max.

5410-03-HAL.
1 x T-4 G9 120V 40W Max.

5430-03-CFE.
3 x GX53 120V 9W Max.

5430-03-HAL.
2 x T-4 G9 120V 40W Max.



5435-03-CFE.
5 x GX53 120V 9W Max.

5435-03-HAL.
3 x T-4 G9 120V 40W Max.



5440-03-CFE.
6 x GX53 120V 9W Max.

5440-03-HAL.
4 x T-4 G9 120V 40W Max.



5445-03-CFE.
11 x GX53 120V 9W Max.

5445-03-HAL.
7 x T-4 G9 120V 40W Max.



Puck
Design by Jordi Vilardell.

Opal triplex blown-glass diffuser.

ALL VERSIONS REQUIRE ONLY ONE JUNCTION BOX

PUCK. Family
Pages: **A**-16. **B**-116.



5430-03.

5435-03.

5435-03.



5435-03.

22 1/2˝



5440-03.

24˝



5445-03.

5445-03.

31 1/2″





mini

Ø 8 3/4˝

® THE ORIGINAL

Mini Funnel

Aluminum diffuser.

c UL us

mini

2004-01. Chrome.
2004-03. White lacquer.
2004-04. Black lacquer.
2004-06. Red lacquer.

2 x T-4 G9 120V 40W Max.

2004-03.
White lacquer.

2004-04.
Black lacquer.

2004-06.
Red lacquer.



2004-01.
Chrome.

A B C D E

FUNNEL. Family
Pages: **A**-26. **B**-30. **C**-30. **D**-84. **E**-88.

2004-04. Black lacquer.

2004-06. Red lacquer.

2004-03. White lacquer.

2004-01. Chrome.

® THE ORIGINAL

2007-03.

Ø 19 3/4˝

Funnel

White lacquer.
White aluminum diffuser.

2007-03.

3 x T-3 RSC 3 1/8˝ 120V 100W Max.

c UL us

2011-03.

1 x T-5 Circline 2GX13 120V 22W

c ETL us

Electronic ballast.
Can be special ordered in 277V

FUNNEL. Family
Pages: A-26. **B**-30. **C**-30. **D**-84. **E**-88.

Scotch
Design by Oscar and Sergi Devesa.

Chrome.
White glass diffuser.

0960-01.

1 x T-4 G9 120V 40W Max.



ø 4 3/4"

A B C D E F

SCOTCH. Family
Pages: **A**-32. **B**-80. **C**-82. **D**-82. **E**-131. **F**-276.

4 1/4˝ x 4 1/4˝

8632-01.

Ø 5 1/2˝

8633-01.

Basiko
Design by Proli Diffusion Studio.

Chrome / Satin nickel.
Borosilicate glass diffuser.

8632-01. Chrome.
8632-30. Satin nickel.

1 x T-4 GY6.35 120V 35W Max.

Surface mounted

8633-01. Chrome.
8633-30. Satin nickel.

1 x T-4 GY6.35 120V 35W Max.

Surface mounted

8632-01 / 8633-01.
Chrome.



8632-30 / 8633-30.
Satin nickel.



8632-01.

BASIKO. Family.
Pages: A-35. **B**-35. **C**-115. **D**-115.

Diana
Design by Proli Diffusion Studio.

Chrome / White lacquer.

4485-01. Chrome.
4485-03. White lacquer.
Acrylic diffuser.
1 x T-5 Circline 2GX13 120V 40W
1 x T-5 Circline 2GX13 120V 22W

Electronic ballast.
Can be special ordered in 277V

4485-01.
Chrome.

4485-03.
White lacquer.

4485-01.

4485-03.

Sandwich

Design by Proli Diffusion Studio.

® THE ORIGINAL

Satin nickel.
Optical glass diffuser.

4410-30-CFE.

2 x G24q-1
120V 13W.
Electronic ballast
Can be special ordered in 277V



4410-30-HAL.

1 x T-3 RSC 4 11/16”
120V 100W.

EXT. - Extension HAL: 4 3/4 ″ - CFE: 3 1/4 ″

4411-30-CFE.

2 x G24q-1
120V 13W.
Electronic ballast
Can be special ordered in 277V



4411-30-HAL.

1 x T-3 RSC 4 11/16”
120V 150W.

EXT. - Extension HAL: 4 3/4 ″ - CFE: 3 1/4 ″

Satin stainless steel.
Optical glass diffuser.

8604-30.

1 x T-4 GY6.35
120V 50W.



SANDWICH. Family
Pages: A-40. **B**-40. **C**-40. **D**-44. **E**-44. **F**-109. **G**-109.



Fluorescent version shown.

To comply with UL standards, for halogen lamping only, additional white canopies are attached to the back of the fixture which increases the extension from the ceiling by up to 1 1/2″.

4411-30.

4411-30.

THE FASHION BOOK
Faces of the Twentieth Century
New York Living
FIOR·DI·LINO
THE FRENCH CHATEAU

Sandwich

Design by Proli Diffusion Studio.

® THE ORIGINAL

Satin nickel.
Optical glass diffuser.

4400-30-CFE.

2 x G24q-1
120V 13W.
Electronic ballast.
Can be special ordered in 277V

4400-30-HAL.

1 x T-3 RSC 4 11/16˝
120V 100W.

EXT. - Extension HAL: 4 3/4˝ - CFE: 3 1/4˝

Satin stainless steel.
Optical glass diffuser.

mini

8606-30.

1 x T-4 GY6.35
120V 50W.

Fluorescent version shown.

To comply with UL standards, for halogen lamping only, additional white canopies are attached to the back of the fixture which increases the extension from the ceiling by up to 1 1/2".

mini mini



SANDWICH. Family
Pages: A-40. **B**-40. **C**-40. **D**-44. **E**-44. **F**-109. **G**-109.

4400-30.



8604-30.

® THE ORIGINAL



8606-30.

Ø 6 3/4″

mini

8604-30.

6 1/4″

mini

1192-30WH.

25 3/4˝

1196-30WH.

Ø 19 1/2˝

1186-30WH.

Ø 7 3/4˝

mini

Lotto

Design by Proli Diffusion Studio.

Satin nickel.
Optical glass diffuser.

c UL us

1192-30WH.

1 x T-10 Med. Double Tubular Hal.
120V 100W Max.

1196-30WH.

1 x T-10 Med. Double Tubular Hal.
120V 100W Max.



1186-30WH.

1 x T-4 G9 120V 40W Max.



LOTTO. Family
Pages: A-49. **B**-49. **C**-49. **D**-193. **E**-193.

1196-30WH.



Quadra Ice

Design by Proli Diffusion Studio.

® THE ORIGINAL

Optical glass diffuser.

1134-01WH-CFE.

2 x G24q-1
120V 13W.
Electronic ballast.
Can be special ordered in 277V

1134-01WH-HAL.

3 x T-4 G9
120V 40W Max.



EXT. - Extension
HAL: 3 1/2˝
CFE: 3 3/4˝

1129-01WH-CFE.

2 x G24q-1
120V 13W.
Electronic ballast.
Can be special ordered in 277V

1129-01WH-HAL.

3 x T-4 G9
120V 40W Max.



EXT. - Extension
HAL: 3 1/4˝
CFE: 3 1/4˝

1128-01WH-CFE.

2 x G24q-1
120V 13W.
Electronic ballast.
Can be special ordered in 277V

1128-01WH-HAL.

3 x T-4 G9
120V 40W Max.

EXT. - Extension
HAL: 3 1/4˝
CFE: 3 3/4˝



QUADRA ICE. Family
Pages: A-50. **B**-50. **C**-50. **D**-113.

1134-01 WH.

4311-30.



Quadra Marc
Design by Proli Diffusion Studio.

® THE ORIGINAL

Satin stainless steel.
Optical glass diffuser.

MAXI

4311-30-CFE.
1 x T-5 Circline 2GX13
120V 40W

1 x T-5 Circline 2GX13
120V 22W
Electronic ballast.
Can be special ordered in 277V

EXT. - Extension- HAL: 4 1/4 ″ - CFE: 4 ″

4311-30-HAL.
3 x T-4 G9
120V 40W Max.

4310-30-CFE.
2 x G24q-1
120V 13W Max.
Electronic ballast.
Can be special ordered in 277V

EXT. - Extension
HAL: 4 ″
CFE: 4 ″

4310-30-HAL.
3 x T-4 G9
120V 40W Max.

4309-30-CFE.
2 x G24q-1
120V 13W Max.
Electronic ballast.
Can be special ordered in 277V

EXT. - Extension
HAL: 3 1/2 ″
CFE: 4 ″

4309-30-HAL.
3 x T-4 G9
120V 40W Max.

4308-30-CFE.
2 x G24q-1
120V 13W Max.
Electronic ballast.
Can be special ordered in 277V

EXT. - Extension
HAL: 3 1/2 ″
CFE: 3 3/4 ″

4308-30-HAL.
3 x T-4 G9
120V 40W Max.



4311-30.

24 1/2 ″

MAXI

maxi



QUADRA MARC. Family
Pages: **A**-54. **B**-54. **C**-54. **D**-54. **E**-112.

Quadra Ice Flat

Design by Proli Diffusion Studio.

® THE ORIGINAL

Optical glass diffuser.

1120-00-CFE.

1 x T-5 Circline 2GX13
120V 40W.

1 x T-5 Circline 2GX13
120V 22W.



Electronic ballast.
Can be special ordered in 277V.

1120-00-HAL.

3 x T-4 G9
120V 40W Max.

1120-00.

Tecto

Design by Proli Diffusion Studio.

® THE ORIGINAL

Polished stainless steel, satin stainless steel.
Optical glass diffuser.

c UL us

maxi

4353-01-CFE.
Polished stainless steel.
4353-30-CFE.
Satin stainless steel.

4 x T-5 2G11 120V 24W.
Electronic ballast
Can be special ordered in 277V



EXT - CFE 3 3/4˝. HAL 5 1/4˝

4353-01-HAL.
Polished stainless steel.
4353-30-HAL.
Satin stainless steel.

1 x T-3 RSC 4 11/16˝
120V 150W Max.

4352-01-CFE.
Polished stainless steel.
4352-30-CFE.
Satin stainless steel.

2 x G24q-1 120V 13W.
Electronic ballast.
Can be special ordered in 277V



4352-01-HAL.
Polished stainless steel.
4352-30-HAL.
Satin stainless steel.

1 x T-3 RSC 4 11/16˝
120V 100W Max.

EXT - CFE 3 3/4˝. HAL 5 1/4˝

4351-01. Polished stainless steel.
4351-30. Satin stainless steel.

1 x T-3 RSC 3 1/8"
120V 100W Max.



mini

4350-01. Polished stainless steel.
4350-30. Satin stainless steel.

1 x T-4 GY6.35 120V 50W Max.



4353-01 / 4352-01
4351-01 / 4350-01.
Polished stainless steel

4353-30 / 4352-30
4351-30 / 4350-30.
Satin stainless steel

Fluorescent version shown.

To comply with UL standards, for halogen lamping only, additional white canopies are attached to the back of the fixture which increases the extension from the ceiling by up to 1 1/2".

maxi **mini** **mini**

TECTO. Family
Pages: A-58. **B**-58. **C**-58. **D**-58. **E**-63. **F**-63. **G**-103. **H**-103. **I**-105. **J**-105.



Ø 13˝

4366-01.

® THE ORIGINAL

mini

Ø 7˝

4365-01.



Tecto

Design by Proli Diffusion Studio.

Polished stainless steel, satin stainless steel.
Optical glass diffuser.

c UL us

4366-01.
Polished stainless steel.
4366-30.
Satin stainless steel.

1 x T-3 RSC 3 1/8”
120V 100W Max.

4365-01.
Polished stainless steel.
4365-30.
Satin stainless steel.

1 x T-4 GY6.35 120V 50W Max.

mini





STAINLESS STEEL

4366-01 / 4365-01.
Polished stainless steel

4366-30 / 4365-30.
Satin stainless steel

maxi mini mini



TECTO. Family
Pages: **A**-58. **B**-58. **C**-58. **D**-58. **E**-63. **F**-63. **G**-103. **H**-103. **I**-105. **J**-105.

5102-03.

Ø 19 3/4″

Glamour
Design by Proli Diffusion Studio.

White lacquer canopy.
White polymer diffuser on bottom.

5102-03-CFE.
Cream cotton ribbon diffuser.
3 x PL-T triple 4Pin 120V 18W

Electronic ballast.
Can be special ordered in 277V

5102-03-INC.
Cream cotton ribbon diffuser.
3 x A-19 Med 120V 100W Max.

5104-03-CFE.
White lacquer metal.
3 x PL-T triple 4Pin 120V 18W

Electronic ballast.
Can be special ordered in 277V

5104-03-INC.
White lacquer metal.
3 x A-19 Med 120V 100W Max.

5104-03.

Ø 19 3/4″



Wall fixtures

Alpha	74/76/78
Basiko	115
Beta	90/92/94
Funnel	88
Mini Funnel	84
Mini Sandwich	109
Puck	116
Quadra Ice	113
Quadra Marc	112
Scotch	80/82
Slim	96
Swing	98/100
Swing Biluz	100
Tecto	103/105
Tulip	106

Alpha
Design by Ramos & Bassols.

Soft white lacquer, soft black lacquer.
Chrome, satin nickel.

ADA

7920-03. Chrome, soft white lacquer.
7920-04. Chrome, soft black lacquer.
7921-03. Satin nickel, soft white lacquer.
7921-04. Satin nickel, soft black lacquer.

LED 120V 3W 700mA.

1 1/4˝ ø 4 1/4˝

Ø 4 1/4˝

7920-04.

7920-03 / 7921-03.
Soft white lacquer.

7920-04 / 7921-04.
Soft black lacquer.

SURFACE MOUNTED

A B C

ALPHA. Family
Pages: A-74. **B**-76. **C**-78.

7920-04.

7925-03.

7925-04.

Alpha
Design by Ramos & Bassols.

Soft white lacquer, soft black lacquer.
Chrome, satin nickel.

ADA

7925-03. Chrome, soft white lacquer.
7925-04. Chrome, soft black lacquer.
7926-03. Satin nickel, soft white lacquer.
7926-04. Satin nickel, soft black lacquer.



LED 120V 3W 700mA.

SURFACE MOUNTED

ALPHA. Family
Pages: A-74. **B**-76. **C**-78.

7925-04.

SURFACE MOUNTED

Alpha
Design by Ramos & Bassols.

Soft white lacquer, soft black lacquer.
Chrome, satin nickel

ADA

7935-03. Chrome, soft white lacquer.
7935-04. Chrome, soft black lacquer.
7936-03. Satin nickel, soft white lacquer.
7936-04. Satin nickel, soft black lacquer.
2 x LED 120V 3W 700mA.

7935-04 / 7936-04.
Soft black lacquer.

7935-03 / 7936-03.
Soft white lacquer.

ALPHA. Family
Pages: A-74. **B**-76. **C**-78.

Scotch
Design by Oscar and Sergi Devesa.

Chrome.
White glass diffuser.

ADA

0960-01.

1 x T-4 G9 120V 40W Max.





A B C D E F

SCOTCH. Family
Pages: A-32. **B**-80. **C**-82. **D**-82. **E**-131. **F**-276.

0950-01.

Scotch
Design by Oscar and Sergi Devesa.

Chrome.
White glass diffuser.

ADA

0950-01.

2 X T-4 G9 120V 40W Max.



0952-01.

1 x PL-L 2G11 120V 18W.
Electronic Ballast.





SCOTCH. Family
Pages: A-32. **B**-80. **C**-82. **D**-82. **E**-131. **F**-276.

0950-01.

® THE ORIGINAL

2004-03.



ø 8 3/4 "

mini

Mini Funnel

Aluminum diffuser.

cULus ADA

mini

2004-01. Chrome.
2004-03. White lacquer.
2004-04. Black lacquer.
2004-06. Red lacquer.

2 x T-4 G9 120V 40W Max.



2004-03.
White lacquer.

2004-04.
Black lacquer.

2004-06.
Red lacquer.

2004-01.
Chrome.



FUNNEL. Family
Pages: A-26. **B**-30. **C**-30. **D**-84. **E**-88.

2004-04. Black lacquer.

2004-03. White lacquer.

2004-06. Red lacquer.

2004-01. Chrome.

Ø 19 3/4"

2011-03.

Funnel

White lacquer.
Aluminum diffuser.

2011-03.
○
1 x T-5 Circline 2GX13 120V 22W.

Electronic ballast.
Can be special ordered in 277V.

FUNNEL. Family
Pages: A-26. **B**-30. **C**-30. **D**-84. **E**-88.

Beta
Design by Ramos & Bassols.

Soft white lacquer, soft black lacquer.
Pressed glass diffuser.

ADA

7900-03. Soft white lacquer.
7900-04. Soft black lacquer.

1 x T-4 G9 120V 40W Max.

7900-04.

Ø 6˝



7900-03.

Ø 6˝

A B C

BETA. Family
Pages: **A**-90. **B**-92. **C**-94.

7900-03.

7905-04.

7905-04.

Beta
Design by Ramos & Bassols.

Soft white lacquer, soft black lacquer.

ADA

7905-03. Soft white lacquer.
7905-04. Soft black lacquer.

1 x T-4 G9 120V 40W Max.

7905-03.
Soft white lacquer.

7905-04.
Soft black lacquer.

BETA. Family
Pages: A-90. **B**-92. **C**-94.

7910-03.

Beta
Design by Ramos & Bassols.

ADA

Soft white lacquer, soft black lacquer.

7910-03. Soft white lacquer.
7910-04. Soft black lacquer.

1 x T-4 G9 120V 40W Max.

7910-03.

7910-04.



A B C

BETA. Family
Pages: **A**-90. **B**-92. **C**-94.

0906-04.

Slim
Design by Jordi Vilardell.

0906-04.
Carbon fiber.
Glass diffuser.
LED 120V 3W 700mA.



Carbon fiber.





SLIM. Family
Pages: A-96. **B**-166. **C**-166. **D**-170. **E**-172.



0906-04.

0525-01.

On / off switch on the wall plate.

Swing

Design by Lievore, Altherr, Molina.

0525-01. Chrome.
0525-30. Satin nickel.
Adjustable metal diffuser.
1 x T-4 G9 120V 60W Max.





0525-01.
Chrome.

0525-30.
Satin nickel.



SWING. Family
Pages: A-98. **B**-100. **C**-100. **D**-215. **E**-215. **F**-240. **G**-242.



0525-01.

0512-01.



0511-01 / 0512-01.
Chrome.

0511-30 / 0512-30.
Satin nickel.

0512-01.

Swing (No LED light)

Design by Lievore, Altherr, Molina.

Switch located
on the lampholder.

0511-01. Chrome.
0511-30. Satin nickel.
Fabric diffuser.
1 x A-19 120V 60W Max.



Swing Biluz (With LED light)

Design by Lievore, Altherr, Molina.

Adjustable LED reading light.
LED on/off switch on the
bottom cover.

0512-01. Chrome.
0512-30. Satin nickel.
Fabric diffuser.
1 x A-19 120V 60W Max.
1 x LED 120V 1W 350mA.

On/off switch on the wall plate.

SWING. Family
Pages: A-98. **B**-100. **C**-100. **D**-215. **E**-215. **F**-240. **G**-242.



Tecto
Design by Proli Diffusion Studio.

® THE ORIGINAL

Polished stainless steel, satin stainless steel.
Optical glass diffuser.

c UL us ADA

4351-01.
Polished stainless steel.
4351-30.
Satin stainless steel.

1 x T-3 RSC 3 1/8"
120V 100W Max.



mini

4350-01.
Polished stainless steel.
4350-30.
Satin stainless steel.

1 x T-4 GY6.35 120V 50W Max.



4351-01 / 4350-01.
Polished stainless steel



4351-30 / 4350-30.
Satin stainless steel

STAINLESS STEEL



TECTO. Family
Pages: A-58. **B**-58. **C**-58. **D**-58. **E**-63. **F**-63. **G**-103. **H**-103. **I**-105. **J**-105.

Tecto
Design by Proli Diffusion Studio.

® THE ORIGINAL

Polished stainless steel, satin stainless steel.
Optical glass diffuser.

c UL us ADA

4366-01.
Polished stainless steel.
4366-30.
Satin stainless steel.

1 x T-3 RSC 3 1/8"
120V 100W Max.



mini

4365-01.
Polished stainless steel.
4365-30.
Satin stainless steel.

1 x T-4 GY6.35 120V 50W Max.



STAINLESS STEEL

4366-01 / 4365-01.
Polished stainless steel

4366-30 / 4365-30.
Satin stainless steel

maxi mini mini



TECTO. Family
Pages: A-58. **B**-58. **C**-58. **D**-58. **E**-63. **F**-63. **G**-103. **H**-103. **I**-105. **J**-105.

0361-01.

Tulip

Design by Lievore, Altherr, Molina.

c UL us

0361-01.

Matte triplex opal blown-glass diffuser.
Chrome.
1 x G16 1/2 Candel. 120V 60W Max.





TULIP. Family
Pages: A-106. **B**-190. **C**-224.



0361-01.



8604-30.

6 1/4˝

mini



8606-30.

Ø 6 3/4˝

mini

8604-30.

Mini Sandwich

Design by Proli Diffusion Studio.

® THE ORIGINAL

Satin stainless steel.
Optical glass diffuser.

UL ADA

mini

8604-30.

1 x T-4 GY6.35 120V 50W Max.

mini

8606-30.

1 x T-4 GY6.35 120V 50W Max.

mini mini



SANDWICH. Family
Pages: A-40. **B**-40. **C**-40. **D**-44. **E**-44. **F**-109. **G**-109.

8604-30.

Quadra Marc
Design by Proli Diffusion Studio.

Satin nickel.
Optical glass diffuser.

ADA

4308-30-CFE.

2 x G24q-1 120V 13W.

Electronic ballast.
Can be special ordered in 277V

4308-30-HAL.

3 x T-4 G9
120V 40W Max.

Fixture to be installed in the position
as shown in the line drawing.



QUADRA MARC. Family
Pages: A-54. **B**-54. **C**-54. **D**-54. **E**-112.

Quadra Ice
Design by Proli Diffusion Studio.

Chrome.
Optical glass diffuser.

ADA

1128-01WH-CFE.

2 x G24q-1 120V 13W.

Electronic ballast.
Can be special ordered in 277V

1128-01WH-HAL.

3 x T-4 G9
120V 40W Max.

Fixture to be installed in the position
as shown in the line drawing.



QUADRA ICE. Family
Pages: A-50. **B**-50. **C**-50. **D**-113.

8632-01.

4 1/4˝ x 4 1/4˝

8633-01.

Ø 5 1/2˝

Basiko
Design by Proli Diffusion Studio.

Chrome / Satin nickel.
Borosilicate glass diffuser.

ADA

8632-01. Chrome.
8632-30. Satin nickel.

1 x T-4 GY6.35 120V 35W Max.

2˝ | 4 1/4˝ | 4 1/4˝

Surface mounted

8633-01. Chrome.
8633-30. Satin nickel.

1 x T-4 GY6.35 120V 35W Max.

2˝ | Ø 5 1/2˝

Surface mounted



8632-01 / 8633-01.
Chrome.

8632-30 / 8633-30.
Satin nickel.

A B C D

BASIKO. Family.
Pages: A-35. **B**-35. **C**-115. **D**-115.

8633-01.



Puck
Design by Jordi Vilardell.

Opal triplex blown-glass diffuser.

ALL VERSIONS REQUIRE ONLY ONE JUNCTION BOX

ADA

5400-03-CFE.
1 x GX53 120V 9W Max.

5400-03-HAL.
1 x T-4 G9 120V 40W Max.

ADA

5410-03-CFE.
1 x GX53 120V 9W Max.

5410-03-HAL.
1 x T-4 G9 120V 40W Max.



ADA

5425-03-CFE.
2 x GX53 120V 9W Max.

5425-03-HAL.
2 x T-4 G9 120V 40W Max.



ADA

5430-03-CFE.
3 x GX53 120V 9W Max.

5430-03-HAL.
2 x T-4 G9 120V 40W Max.



5435-03-CFE.
5 x GX53 120V 9W Max.

5435-03-HAL.
3 x T-4 G9 120V 40W Max.



5440-03-CFE.
6 x GX53 120V 9W Max.

5440-03-HAL.
4 x T-4 G9 120V 40W Max.



5445-03-CFE.
11 x GX53 120V 9W Max.

5445-03-HAL.
7 x T-4 G9 120V 40W Max.





PUCK. Family
Pages: A-16. **B**-116.

5425-03.





5435-03.

22 1/2 "

5425-03.



5440-03.

24″



5445-03.

31 1/4″

Bath Fixtures

Llisa	134/137
Look	133
Millenium	129
Scotch	131

8092-01.

8092-01.

Millenium

Design by Ramons & Bassols.

Chrome.
Polycarbonate diffuser.

ADA

8090-01.

1 x T-5 Mini Bi Pin
120V 24W



Electronic ballast.
Can be special ordered in 277V.

8091-01.

1 x T-5 Mini Bi Pin
120V 39W



Electronic ballast.
Can be special ordered in 277V.

8092-01.

1 x T-5 Mini Bi Pin
120V-277V 54W



Electronic ballast.
Universal ballast.

DAMP LOCATION

0961-01.

Scotch
Design by Oscar and Sergi Devesa.

Chrome.
White glass diffuser.

ADA IP65

0961-01.
GX53 120V 9W Max.



0961-01.

WET LOCATION

SCOTCH. Family
Pages: **A**-32. **B**-80. **C**-82. **D**-82. **E**-131. **F**-276.

8071-70.

8082-30.

Look

Design by Proli Diffusion Studio.

Satin stainless steel.
White acrylic diffuser.

c UL us ADA

8080-30.

1 x T-5 Mini Bi-Pin
120V 24W.
Electronic ballast.
Can be special ordered in 277V.



8082-30.

1 x T-5 Mini Bi-Pin
120V 54W.
Electronic ballast.
Can be special ordered in 277V.



8071-70.

2 x T-5 Mini Bi-Pin
120V 39W.
Electronic ballast.
Can be special ordered in 277V.



8082-30.

DAMP LOCATION

8071-70.
White acrylic diffuser on sides.



IF 2″ x 4″ J-BOX IS AVAILABLE
NO BACK PLATE IS NEEDED

8034-01.

DAMP LOCATION

Llisa
Design by Proli Diffusion Studio.

Chrome.
Optical glass diffuser.

c UL us ADA

8032-01.

T-5 Mini. Bi-Pin
120V 24W.
Electronic ballast.
Can be special ordered in 277V.



8034-01.

T-5 Mini. Bi-Pin
120V 54W.
Electronic ballast.



Llisa. Family.
Pages: A-134. **B**-134. **C**-137.


8034-01.

8038-01.

Llisa
Design by Proli Diffusion Studio.

Chrome.
Optical glass diffuser.

ADA

8038-01.

2 x T-4 G24q-1 120V 13W.
Electronic ballast



8038-01.

Llisa. Family.
Pages: A-134. **B**-134. **C**-137.

Pendants

Ameba	150/152
Big	156
Code	162
Duplo	184
Eight	186
Forest	174
Infinity	176
Jazz	198
Lotto	193
Mast	188
Nobel	194/197
Plis	181
Plis Outdoor	161
Slim	166/170/172
Tulip	190

Ameba, infinite compositions

Design by Pete Sans

AMEBA is a new pendant concept adaptable to every space and to every need and preference.
AMEBA is formed by 5 different shapes that can be combined, to offer an infinite range of compositions.

The possibilities are multiple: from a composition with 2 sections, to a design with infinite shapes, offering unthinkable possibilities for every space.

Your imagination is the limit.

Sectional system

The 5 sections can be put together easily, the range of options going from one single 12″ x 20″ pendant to a composition of over 100 sqft. The number of compositions are infinite…

2200.

2205.

2210.



2215.

2220.

Total: 3 shapes

B - 2 pieces (2205).
C - 1 piece (2210).



Total: 18 shapes

A - 3 pieces (2200).
B - 3 pieces (2205).
C - 4 pieces (2210).
D - 4 pieces (2215).
E - 4 pieces (2220).



Total: 6 shapes

A - 2 pieces (2200).
B - 1 piece (2205).
C - 2 pieces (2210).
E - 1 piece (2220).



Total: 2 shapes

A - 1 piece (2200).
B - 1 piece (2205).



Total: 10 shapes

A - 3 pieces (2200).
B - 1 piece (2205).
C - 1 piece (2210).
D - 3 pieces (2215).
E - 2 pieces (2220).



Assembly and wiring

AMEBA is a technically sophisticated fixture in which the smallest details have been considered. It meets the highest demands in quality of materials, finishes and assembly.

Top and bottom acrylic diffuser.





The connection between one section and the others ensures the consistency of the composition so all the sections are totally integrated.



AMEBA is hung with aircraft cables adjustable in height. The power cord can be connected to any of the sections depending on the position of the j.box in the ceiling.

The 5 sections are wired to each other so no matter how many sections are used, only one j.box is needed in the ceiling.





Ameba

Design by Pete Sans.

Acrylic diffuser.

2200-03. White lacquer.
2200-18. Charcoal grey.
2 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.
Can be special ordered in 277V



2205-03. White lacquer.
2205-18. Charcoal grey.
3 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.
Can be special ordered in 277V



2210-03. White lacquer.
2210-18. Charcoal grey.
3 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.
Can be special ordered in 277V



2215-03. White lacquer.
2215-18. Charcoal grey.
3 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.
Can be special ordered in 277V



2220-03. White lacquer.
2220-18. Charcoal grey.
1 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.
Can be special ordered in 277V



2225-01.
Chrome canopy.

2200-03 / 2205-03 / 2210-03 / 2215-03 / 2220-03.
White lacquer.



2200-18 / 2205-18 / 2210-18 / 2215-18 / 2220-18.
Charcoal grey.



AMEBA. Family
Pages: A-150. **B**-150. **C**-150. **D**-150. **E**-150. **F**-150. **G**-152.



Ameba single
Design by Pete Sans.

2230-03. White lacquer.
2230-18. Charcoal grey.
Acrylic diffuser.
3 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.
Can be special ordered in 277V



2230-03.
White lacquer.

2230-18.
Charcoal grey.

Chrome canopy.

Top and bottom acrylic diffuser.





AMEBA. Family
Pages: A-150. **B**-150. **C**-150. **D**-150. **E**-150. **F**-150. **G**-152.



Chrome ring.

DIMMABLE UNIVERSAL BALLAST

Big
Design by Lievore, Altherr, Molina.

Chrome ring.
Acrylic diffuser.

0535-01.

2 x PL-L 120V-277V 36W.

2 x PL-L 120V-277V 24W.
Electronic ballast.
Dimmable universal ballast.



0536-01.

2 x PL-L 120V-277V 36W.

2 x PL-L 120V-277V 24W.
Electronic ballast.
Dimmable universal ballast.





BIG. Family
Pages: **A**-10. **B**-10. **C**-156. **D**-156.

0535-01.

IP64

Plis Outdoor
Design by Ramos & Bassols.

4040-03.
White lacquer.
Polythene diffuser.
2 x PL-T Triple 4-Pin 120V 26 W.

Electronic ballast.
Can be special ordered in 277V.

WET LOCATION
UV RESISTANT

Chrome canopy.





PLIS OUTDOOR. Family.
Pages: **A**-161. **B**-262. **C**-268.

Code
Design by Diego Fortunato.

2102-03 / 2103-03.
Triplex blown-glass diffuser.
4 x BA-9 120V 60W Max.

OR 4 x E-12 Cand. Compact Fluorescent 120V 11W Max.

2102.



2103.



Chrome canopy.



Chrome disc on top.
Top and bottom
glass diffuser.

ø 19˝



CODE. Family.
Pages: **A**-162. **B**-162. **C**-212. **D**-237.

negra

Slim

Design by Jordi Vilardell.

0911-04 / 0912-04.

Carbon fiber.
Glass diffuser.
1 x LED 120V 3W 700mA.

0911.



0912.



Chrome canopy.

Carbon fiber.

0912-04.



0911-04.



SLIM. Family
Pages: A-96. **B**-166. **C**-166. **D**-170. **E**-172.





8990-60.
Two-pendant lamps installation case.



11 3/4″ x 4 3/4″ x 3/4″

1 x 8990
2 x 0911 / 2 x 0912

8991-60.
Three-pendant lamps installation case.



18″ x 4 3/4″ x 3/4″



1 x 8991
3 x 0911 / 3 x 0912

8992-60.
Four-pendant lamps installation case.



11 3/4″ x 11″ x 3/4″



1 x 8992
4 x 0911 / 4 x 0912

Installation.

For a multiple-base installation, you will need the sufficient quantity of pendant lamps (Ref. 0901 or 0902) and the corresponding installation case (Ref. 8990, 8991 or 8992).



SLIM. Family
Pages: A-96. **B**-166. **C**-166. **D**-170. **E**-172.

Slim
Design by Jordi Vilardell.

0915-04.
Carbon fiber.
Glass diffuser.
4 x LED 120V 3W 700mA.



Chrome canopy.



0915-04. Carbon fiber.



SLIM. Family
Pages: **A**-96. **B**-166. **C**-166. **D**-170. **E**-172.

Slim

Design by Jordi Vilardell.

0914-04.

Carbon fiber.
Glass diffuser.
7 x LED 120V 3W 700mA.



Chrome canopy.





0914-04. Carbon fiber.



SLIM. Family
Pages: **A**-96. **B**-166. **C**-166. **D**-170. **E**-172.



ø 1 1/2˝



Optical glass on top and white acrylic diffuser on the bottom.

Black glass disc.

Chrome canopy.

Forest
Design by Ramos & Bassols.

5290-01 / 5291-01.
Chrome.
Wengue wood diffuser.

5290-01:
5 x BA-9 Candel 120V 60W Max.
OR 5 x E-12 Cand. Compact Fluorescent 120V 11W Max.

5291-01:
4 x BA-9 Candel 120V 60W Max.
OR 4 x E-12 Cand. Compact Fluorescent 120V 11W Max.



5290.



5291.





FOREST. Family
Pages: **A**-174. **B**-174. **C**-219. **D**-238.

Infinity
Design by Robby Cantarutti.

2020-03. White lacquer.
2020-04. Black lacquer.
2020-06. Red lacquer.
Acrylic diffuser.
1 x T-5 Circline 2GX13 120V 22W.
Electronic Ballast.
Can be special ordered in 277V.

2021- 03. White lacquer.
2021-04. Black lacquer.
2021-06. Red lacquer.
Acrylic diffuser.
1 x T-5 Circline 2GX13 120V 55W.
Electronic Ballast.
Can be special ordered in 277V.

Chrome canopy.

Top and bottom acrylic diffuser.

2020-03 / 2021-03.
White lacquer.

2020-04 / 2021-04.
Black lacquer.

2020-06 / 2021-06.
Red lacquer.





2020-04.

2021-03.

5128-01.



Ø 27 1/2˝

Chrome canopy.

White polymer diffuser on bottom, optical glass diffuser on top.

5129-01.



Ø 27 1/2˝

Plis

Design by G. Bernal & Associates.

5124-01 / 5125-01 / 5128-01 / 5129-01.
Chrome.
5124-01 / 5128-01: Cream cotton ribbon diffuser.
5125-01 / 5129-01: Black cotton ribbon diffuser.

5124-01 / 5125-01:
3 x A-19 Med.120V 100W Max.
OR 3 x E-26 Med. Compact Fluorescent 120V 20W Max.

5128-01 / 5129-01:
4 x A-19 Med.120V 100W Max.
OR 4 x E-26 Med. Compact Fluorescent 120V 20W Max.

5124-01 / 5125-01.



5128-01 / 5129-01.





PLIS. Family
Pages: A-181. **B**-181. **C**-220. **D**-244.

Duplo

Design by Jordi Vilardell.

5196-30 / 5197-30.

Satin nickel.
5196-30. Pleated fabric shade.
5197-30. Aluminum weft shade.
1 x T-10 Med. Double Tubular Hal. 120V 150W Max.





Two different positions:
A- General diffusion **B-** Downward light diffusion.



Optical glass diffuser on top and bottom.

5196-30.
Pleated fabric shade.

5197-30.
Aluminum weft shade.



DUPLO. Family
Pages: A-184. **B**-246.

5196-30.

5335-01.
White opal triplex blown-glass.

5336-01.
Black opal triplex blown-glass.

Eight
Design by Ramos & Bassols.

5335-01 / 5336-01.
5335-01: Chrome.
White opal triplex blown-glass diffuser.
5336-01: Chrome.
Black opal triplex blown-glass diffuser.
6 x A-19 Med 120V 60W Max.
OR 6 x E-26 Med. Compact Fluorescent 120V 11W Max.
(MEGAMAN LILIPUT PLUS)





Chrome canopy.



5336-01.

5335-01.

5032-01: Chrome canopy / **5032-30:** Satin nickel canopy.

c UL us

Mast

Design by Gemma Bernal and Ramón Isern.

5032-01 / 5032-30.

5032-01: Chrome.
Black chinz diffuser.
5032-30: Satin nickel.
White polymer diffuser.
1 x A-19 Med.120V 100W Max.

OR 1 x E-26 Med. Compact Fluorescent 120V 20W Max.





MAST. Family
Pages: A-188. **B**-217. **C**-248.

5032-01.



5032-30.

Tulip
Design by Lievore, Altherr, Molina.

0355-01 / 0355-01-UL.
Chrome.
Matte triplex opal blown-glass diffuser.

0355-01. Clear cord.
KX 2000 Candel. 120V 40W Max.

0355-01-UL. White cord.
KX 2000 Candel. 120V 40W Max.



Chrome canopy.

0355-01: Enclosed diffuser.



TULIP. Family
Pages: A-106. **B**-190. **C**-224.

Satin nickel canopy.

Lotto

Design by Proli Diffusion Studio.

1185-30WH-UL. Black cord.

1185-30WH. Clear cord.
Satin nickel.
Optical glass diffuser.
1 x KX2000 candel 120V 20W Max.



1195-30WH
Satin nickel.
Optical glass diffuser.
T-10 Med Double tubular hal.
120V 150W Max.





LOTTO. Family
Pages: A-49. **B**-49. **C**-49. **D**-193. **E**-193.

Nobel
Design by Öesterlund design development (ODD).

2060-01 / 2060-30.
2060-01: Chrome.
2060-30: Satin nickel.
Clear blown-glass diffuser.
Clear cord.
1 x T-10 Med. Double Tubular Hal.120V 150W Max.



2065-01 / 2065-30.
2065-01. Chrome.
2065-30. Satin nickel.
Matte triplex opal blown-glass diffuser.
Clear cord.
1 x T-10 Med. Double Tubular Hal.120V 150W Max.



2060-01 / 2065-01.
Chrome.



2060-30 / 2065-30.
Satin nickel.



NOBEL. Family
Pages: A-194. **B**-194. **C**-197. **D**-197.



Nobel
Design by Öesterlund design development (ODD).

2062-01 / 2062-30.

Clear cord.
2062-01. Chrome.
2062-30. Satin nickel.

Black cord.
2062-01-UL. Chrome.
2062-30-UL. Satin nickel.

Clear blown-glass diffuser.
1 x T-4 G9 120V 40W Max.

2067-01 / 2067-30.

Clear cord.
2067-01. Chrome.
2067-30 . Satin nickel.

Black cord.
2067-01-UL. Chrome.
2067-30-UL. Satin nickel.

Matte triplex opal blown-glass diffuser.
1 x T-4 G9 120V 40W Max.



2062-01 / 2067-01.
Chrome.

2062-30 / 2067-30.
Satin nickel.



NOBEL. Family
Pages: A-194. **B**-194. **C**-197. **D**-197.

1335-04.

Chrome canopy.
Chrome ring and frosted glass diffuser on bottom.

Jazz
Design by Diego Fortunato.

1335-03. White lacquer.
1335-04. Black lacquer.
1335-06. Red lacquer.
Polyurethane resin.
1 x PAR30 E-26 Med.120V 75W Max.
OR 1 x E-26 Med. Compact Fluorescent 120V 20W Max.

1336-03. White lacquer.
1336-04. Black lacquer.
1336-06. Red lacquer.
Polyurethane resin.
1 x PAR30 E-26 Med.120V 75W Max.
OR 1 x E-26 Med. Compact Fluorescent 120V 20W Max.

1335-03 / 1336-03.
White lacquer.

1335-04 / 1336-04.
Black lacquer.

1335-06 / 1336-06.
Red lacquer.



JAZZ. Family
Pages: A-198. **B**-198. **C**-208. **D**-208. **E**-234.

1336-03.

1336-03.

1336-06.

Table Lamps

Code	212
Forest	219
Jazz	208
Mast	217
Mini Sigma	206
Plis	220
Swing	215
Tulip	224

Mini Sigma

Design by Lievore, Altherr, Molina.

0555-03 / 0555-04.

White lacquer / Black lacquer.
Polyurethane resin.
Acrylic diffuser.
4 x LED 120V 1W 350mA.

0555-03.
White lacquer.

0555-04.
Black lacquer.

Acrylic diffuser.

On / off switch on the base.

0555-04.

0555-03.

Jazz
Design by Diego Fortunato.

Polyurethane resin.
Aluminum diffuser.
Glass diffuser on top.



1333-03. White lacquer.
1333-04. Black lacquer.
1333-06. Red lacquer.
4 x A-19 Med.120V 60W Max.
OR 4 x E-26 Med. Compact Fluorescent 120V 11W Max.



1334-03. White lacquer.
1334-04. Black lacquer.
1334-06. Red lacquer.
4 x A-19 Med.120V 60W Max.
OR 4 x E-26 Med. Compact Fluorescent 120V 11W Max.

1333-03 / 1334-03.
White lacquer.

1333-04 / 1334-04.
Black lacquer.

1333-06 / 1334-06.
Red lacquer.



JAZZ. Family
Pages: A-198. **B**-198. **C**-208. **D**-208. **E**-234.

1334-03.
On/off switch on cord.

1333-03.
On/off switch on cord.

1333-04.

1333-06.

1333-03.

2101-03. On/off switch on cord.

Code
Design by Diego Fortunato.

2101-03.
White lacquer.
Triplex blown-glass diffuser.
4 x BA-9 120V 60W Max.
OR 4 x E-12 Cand.
Compact Fluorescent 120V 11W Max.





CODE. Family.
Pages: **A**-162. **B**-162. **C**-212. **D**-237.

0506-01.

0520-01.

Swing
Design by Lievore, Altherr, Molina.

0506-01 / 0506-30.
Chrome / Satin nickel.
Fabric diffuser.
1 x A-19 Med.120V 60W Max.

OR 1 x E-26 Med. Compact Fluorescent
120V 11W Max.



0520-01 / 0520-30.
Chrome / Satin nickel.
Adjustable metal diffuser.
1 x T-4 G9 120V 60W Max.





SWING. Family
Pages: A-98. **B**-100. **C**-100. **D**-215. **E**-215. **F**-240. **G**-242.

0506-01 / 0506-30.
Switch located
on the lampholder.

0520-01 / 0520-30.
On / off switch on cord.

0506-01 / 0520-01.
Chrome.

0506-30 / 0520-30.
Satin nickel.

0520-01.



Diffuser on top.



Pull switch.

c UL us

Mast

Design by Gemma Bernal and Ramón Isern.

5031-01.
Chrome.
Black chinz diffuser
A-19 Med. 120V 75W Max.
OR 1 x E-26 Med. Compact Fluorescent
120V 15W Max.

5031-30.
Satin nickel.
White polymer diffuser.
A-19 Med. 120V 75W Max.
OR 1 x E-26 Med. Compact Fluorescent
120V 15W Max.



MAST. Family
Pages: A-188. **B**-217. **C**-248.

5285-01.

Forest
Design by Ramos & Bassols.

5285-01.
Chrome.
Wengue wood diffuser.
4 x BA-9 Candel 120V 60W Max.

OR 4 x E-12 Cand. Compact Fluorescent
120V 11W Max.



Black glass disc.

Optical glass on top
and white acrylic diffuser
on the bottom.

On/off switch on cord.

5285-01.



FOREST. Family
Pages: A-174. **B**-174. **C**-219. **D**-238.

Plis
Design by G. Bernal & Associates.

5115-01 / 5116-01.
Chrome.
5115-01: Cream cotton ribbon diffuser.
5116-01: Black cotton ribbon diffuser.
2 x G16 1/2 Candel. 120V 60W Max.
OR 2 x E-12 Cand. Compact Fluorescent 120V 11W Max.



Cotton ribbon diffuser.
Acrylic top diffuser.

On/off switch on cord.

5116-01.



PLIS. Family
Pages: A-181. **B**-181. **C**-220. **D**-244.

5115-01.
Cream cotton
ribbon diffuser.

5116-01.
Black cotton
ribbon diffuser.

5116-01.

5115-01.

Tulip

Design by Lievore, Altherr, Molina.

0351-01.
Chrome.
Matte triplex opal blown-glass diffuser.
1 x G16 1/2 Candel. 120V 60W Max.



On/off switch on cord.

0351-01.



TULIP. Family
Pages: **A**-106. **B**-190. **C**-224.



0351-01.

Floor Lamps

Balance	254
Code	237
Duplo	246
Forest	238
Gigantic	250
Jazz	234
Mast	248
Plis	244
Swing	240/242

1330-03.

Jazz
Design by Diego Fortunato.

1330-03 / 1330-04 / 1330-06.
1330-03: White lacquer.
1330-04: Black lacquer.
1330-06: Red lacquer.
Polyurethane resin.
1 x PL-T-Triple 4-Pin GX24q-4 120V 42W.

Electronic ballast.

Chrome ring and glass diffuser on top.

1330-03.
White lacquer.



1330-04.
Black lacquer.

1330-06.
Red lacquer.



JAZZ. Family
Pages: A-198. **B**-198. **C**-208. **D**-208. **E**-234.

On/off switch on cord.

1330-03.

1330-06.

1330-04.

2100-03.

Code

Design by Diego Fortunato.

2100-03.
White lacquer.
Triplex blown-glass diffuser.
4 x BA-9 120V 60W Max.

OR 4 x E-12 Cand. Compact Fluorescent
120V 11W Max.



In-line floor dimmer

2100-03.



CODE. Family.
Pages: A-162. **B**-162. **C**-212. **D**-237.



5280-01.

Forest

Design by Ramos & Bassols.

5280-01.
Chrome.
Wengue wood diffuser.
4 x BA-9 Candel 120V 60W Max.

OR 4 x E-12 Cand. Compact Fluorescent
120V 11W Max.





Black glass disc.

Optical glass on top
and white acrylic diffuser
on the bottom.

In-line floor dimmer.



FOREST. Family
Pages: A-174. **B**-174. **C**-219. **D**-238.

5280-01.

Swing
Design by Lievore, Altherr, Molina.

0515-01 / 0515-30.
Chrome / Satin nickel
Adjustable metal diffuser.
1 x T-4 G9 120V 60W Max.





In-line floor dimmer.

0515-01.

0515-01.
Chrome.

0515-30.
Satin nickel.



SWING. Family
Pages: **A**-98. **B**-100. **C**-100. **D**-215. **E**-215. **F**-240. **G**-242.

0515-01.

Swing
Design by Lievore, Altherr, Molina.

0501-01 / 0501-30.
Chrome / Satin nickel.
Fabric diffuser
1 x A-19 Med.120V 60W Max.
OR 1 x E-26 Med. Compact Fluorescent
120V 11W Max.



0501-01.
Chrome.

0501-30.
Satin nickel.

Double articulation
(**A+B**)

Switch located
on the lampholder.



SWING. Family
Pages: A-98. **B**-100. **C**-100. **D**-215. **E**-215. **F**-240. **G**-242.

0501-30.

5120-01.
Cream cotton ribbon diffuser.

5121-01.
Black cotton ribbon diffuser.

Plis
Design by G. Bernal & Associates.

5120-01 / 5121-01.
Chrome.
5120-01: Cream cotton ribbon diffuser.
5121-01: Black cotton ribbon diffuser.
2 x A-19 Med.120V 100W Max.

OR 2 x E-26 Med. Compact Fluorescent 120V 11W Max.





In-line floor dimmer.

5120-01.

Acrylic top diffuser.



PLIS. Family
Pages: **A**-181. **B**-181. **C**-220. **D**-244.

5120-01.





5194-30.
Aluminum weft shade.

5195-30.
Pleated fabric diffuser.

Glass diffuser on top.



5194-30.

In-line floor dimmer.

Duplo
Design by Jordi Vilardell.

5194-30 / 5195-30.
Satin nickel.
5194-30: Aluminum weft shade.
5195-30: Pleated fabric diffuser.
1 x T-10 Med. Double Tubular Hal. 120V 150W Max.





DUPLO. Family
Pages: A-184. **B**-246.

5194-30.

c UL us

Mast

Design by Gemma Bernal and Ramón Isern.

5030-01 / 5030-30.

5030-01: Chrome.
Black chinz diffuser.
5030-30: Satin nickel.
White polymer diffuser.
1 x A-21 Med.120V 150W Max.

OR 1 x E-26 Med. Compact Fluorescent
120V 23W Max.



5030-30.



Pull switch.



Covered on top.



5030-01.



MAST. Family
Pages: A-188. **B**-217. **C**-248.

5030-01.

Gigantic
Design by Estudi Blanc.

8160-60.
Aluminum weft diffuser.
3 x A-19 Med. 120V 75W Max.
1 x G16 1/2 Candel. 120V 60W Max.
OR 3 x E-26 Med. Compact Fluorescent
120V 15W Max.
1 x E-12 Cand. Compact Fluorescent
120V 11W Max.



In-line floor dimmer.

8160-60.

8160-60.

8160-60.

Metal cover on top and
satin white bottom polymer diffuser.



In-line floor dimmer.

5190-30.

Balance
Design by Jordi Vilardell.

5190-30 / 5191-30.
Satin nickel.
Fabric diffuser.
3 x A-19 Med.120V 60W Max.

5190-30.



5191-30.



Swith on the
bottom of the diffuser.

Adjustable height.

5191-30.

5190-30.

Outdoor

Break	278/282
Plis Outdoor	262/268
Scotch	276
Tree	272

IP64

Plis Outdoor
Design by Ramos & Bassols.

4030-03.
White lacquer.
Polythene diffuser.
2 x PL-T Triple 4-Pin 120V 26W.
Electronic ballast.
Can be special ordered in 277V.



WET LOCATION
UV RESISTANT

Surface cable.



PLIS OUTDOOR. Family.
Pages: A-161. **B**-262. **C**-268.

4030-03.





4030-03

4040-03

4030-03

IP64

Plis Outdoor

Design by Ramos & Bassols.

4040-03.

White lacquer.
Polythene diffuser.
2 x PL-T Triple 4-Pin 120V 26 W
Electronic ballast.
Can be special ordered in 277V.

WET LOCATION
UV RESISTANT

Chrome canopy.







PLIS OUTDOOR. Family.
Pages: A-161. **B**-262. **C**-268.

4000-03.

4010-03.

4005-03.

IP64

Tree
Design by Pete Sans.

4000-03 / 4005-03 / 4010-03 / 4015-03.
White lacquer.
Polyethylene diffuser.
4000-03: 2 x PL-L 120V 36W.
4005-03: 2 x PL-L 120V 24W.
4010-03: 1 x PL-T Triple 4-Pin 120V 18W
4015-03: 1 x PL-T Triple 4-Pin 120V 13W

Electronic ballast.
Can be special ordered in 277V.

WET LOCATION
UV RESISTANT

4000.



4005.



4010.

4015.

4015-03.

4010-03.



4000-03.

4005-03.

Pete Sans was born in Barcelona in 1947.
After High School, he completed his education
in industrial design in Germany. Throughout his career
he has combined graphic design and industrial design
receiving many honors. In 1988 he was awarded the Delta
de Oro prize for his chair Coqueta. His most well known
lighting products are “lamparaprima” (1979),
Ciprés in 1997 and the TREE collection for Vibia in 2006.

Patent 427448-001 – 427448-004

4005-03.

4015-03.

Scotch
Design by Oscar and Sergi Devesa.

Chrome.
White glass diffuser.

ADA IP65

0961-01.
GX53 120V 9W Max.



0961-01.

WET LOCATION
UV RESISTANT

A B C D E F

SCOTCH. Family
Pages: **A**-32. **B**-80. **C**-82. **D**-82. **E**-131. **F**-276.

0961-01.



ADA IP66

Break
Design by Xuclà & Alemany.

4110-03. White lacquer.
4110-54. Oxide lacquer.
4110-80. Concrete.
Acrylic diffuser
1 x LED 120V 3W 700mA.

WET LOCATION
UV RESISTANT

4110-03.
White lacquer.

4110-54.
Oxide lacquer.

4110-80.
Concrete.

BREAK. Family
Pages: A-278. **B**-282. **C**-282.

4110-80.

4110-54.

4110-80.

4110-54.

IP66

Break
Design by Xuclà & Alemany.

4100-03 / 4105-03. White lacquer.
4100-54 / 4105-54. Oxide lacquer.
Acrylic diffuser
1 x PL-T Triple 4-Pin 120V 13W.
Electronic ballast.

4100.



4105.



4100-03 / 4105-03.
White lacquer

4100-54 / 4105-54.
Oxide lacquer

WET LOCATION
UV RESISTANT

BREAK. Family
Pages: **A**-278. **B**-282. **C**-282.



4100-54.

4105-54.







4105-54.

4100-54.

4100-03.

4105-03.

ETL SEMKO is a division of Intertek Group plc specializing in electrical product safety testing applicable to UL standards.
Fixtures with the ETL mark have been listed for the US.
Fixtures with the cETLus mark have been listed for the US and Canada.

Underwriters Laboratories Inc. (UL) develops standards and testing procedures for products, mainly dealing with product safety.
Fixtures with the UL mark have been listed for the US.
Fixtures with the cULus mark have been listed for the US and Canada.

ADA

ADA Wall fixtures that comply with the American with Disabilities Act, means that the extension from the wall is not more than 4”

IP

The IP Code classifies the degree of protection provided against the intrusion of solid objects, dust, and water in electrical enclosures.

UNIVERSAL BALLAST

UNIVERSAL BALLAST Ballast works within the 120-277v range.

WET LOCATION

WET LOCATION Fixture suitable to be used outdoors according to UL standards as tested by UL or ETL.

DAMP LOCATION

DAMP LOCATION Fixture suitable to be used in damp locations (bathrooms, but not in the shower area or in the sauna) according to UL standards as tested by UL or ETL.

ref.	pag.
0351-01	224
0355-01	190
0355-01-UL	190
0361-01	106
0501-01	242
0501-30	242
0506-01	215
0506-30	215
0511-01	100
0511-30	100
0512-01	100
0512-30	100
0515-01	240
0515-30	240
0520-01	215
0520-30	215
0525-01	98
0525-30	98
0530-01	10
0531-01	10
0535-01	156
0536-01	156
0555-03	206
0555-04	206
0570-01	12
0570-30	12
0575-01	12
0575-30	12
0906-04	96
0911-04	166
0912-04	166
0914-04	172
0915-04	170
0950-01	82
0952-01	82
0960-01	32/80
0961-01	131/276
1120-00-CFE	56
1120-00-HAL	56
1128-01WH-CFE	50/113
1128-01WH-HAL	50/113
1129-01WH-CFE	50
1129-01WH-HAL	50
1134-01WH-CFE	50
1134-01WH-HAL	50
1185-30WH	193
1185-30WH-UL	193
1186-30WH	49
1192-30WH	49
1195-30WH	193
1196-30WH	49
1330-03	234
1330-04	234
1330-06	234
1333-03	208
1333-04	208
1333-06	208
1334-03	208
1334-04	208
1334-06	208
1335-03	198
1335-04	198
1335-06	198
1336-03	198
1336-04	198
1336-06	198
2004-01	26/84
2004-03	26/84
2004-04	26/84
2004-06	26/84
2007-03	30
2011-03	30/88
2020-03	176
2020-04	176
2020-06	176
2021-03	176
2021-04	176
2021-06	176
2060-01	194
2060-30	194
2062-01	197
2062-01-UL	197
2062-30	197
2062-30-UL	197
2065-01	194
2065-30	194
2067-01	197
2067-01-UL	197
2067-30	197
2067-30-UL	197
2100-03	237
2101-03	212
2102-03	162
2103-03	162
2200-03	150
2200-18	150
2205-03	150
2205-18	150
2210-03	150
2210-18	150
2215-03	150
2215-18	150
2220-03	150
2220-18	150
2225-01	150
2230-03	152
2230-18	152
4000-03	272
4005-03	272
4010-03	272
4015-03	272
4030-03	262
4040-03	161/268
4100-03	282
4100-54	282
4105-03	282
4105-54	282
4110-03	278
4110-54	278
4110-80	278
4308-30-CFE	54/112
4308-30-HAL	54/112
4309-30-CFE	54
4309-30-HAL	54
4310-30-CFE	54
4310-30-HAL	54
4311-30-CFE	54
4311-30-HAL	54
4350-01	58/103
4350-30	58/103
4351-01	58/103
4351-30	58/103
4352-01-CFE	58
4352-01-HAL	58
4352-30-CFE	58
4352-30-HAL	58
4353-01-CFE	58
4353-01-HAL	58
4353-30-CFE	58
4353-30-HAL	58
4365-01	63/105
4365-30	63/105
4366-01	63/105
4366-30	63/105
4400-30-CFE	44
4400-30-HAL	44
4410-30-CFE	40
4410-30-HAL	40
4411-30-CFE	40
4411-30-HAL	40
4485-01	36
4485-03	36
5030-01	248
5030-30	248
5031-01	217
5031-30	217
5032-01	188
5032-30	188
5102-03-CFE	66
5102-03-INC	66
5104-03-CFE	66
5104-03-INC	66
5115-01	220
5116-01	220
5120-01	244
5121-01	244
5124-01	181
5125-01	181
5128-01	181
5129-01	181
5190-30	254
5191-30	254
5194-30	246
5195-30	246
5196-30	184
5197-30	184
5280-01	238
5285-01	219
5290-01	174
5291-01	174
5335-01	186
5336-01	186
5400-03-CFE	16/116
5400-03-HAL	16/116
5410-03-CFE	16/116
5410-03-HAL	16/116
5425-03-CFE	116
5425-03-HAL	116
5430-03-CFE	16/116
5430-03-HAL	16/116
5435-03-CFE	16/116
5435-03-HAL	16/116
5440-03-CFE	16/116
5440-03-HAL	16/116
5445-03-CFE	16/116
5445-03-HAL	16/116
7900-03	90
7900-04	90
7905-03	92
7905-04	92
7910-03	94
7910-04	94
7920-03	74
7920-04	74
7921-03	74
7921-04	74
7925-03	76
7925-04	76
7926-03	76
7926-04	76
7935-03	78
7935-04	78
7936-03	78
7936-04	78
8032-01	134
8034-01	134
8038-01	137
8071-70	133
8080-30	133
8082-30	133
8090-01	129
8091-01	129
8092-01	129
8160-60	250
8604-30	40/109
8606-30	44/109
8632-01	35/115
8632-30	35/115
8633-01	35/115
8633-30	35/115
8990-60	168
8991-60	168
8992-60	168

Sticker that identifies VIBIA products.

The contents of this catalog may be changed or cancelled at the discretion of the management of VIBIA without prior notice.

Printed in Spain D.L. B-6471-2009. **COPYRIGHT© GRUPO T DIFFUSION,S.A.** ALL RIGHTS RESERVED.

GRAPHIC DESIGN BY JOAN BUXADÉ.

www.vibialight.com for professional users

USA & CANADA

VIBIA, INC.
272 Fernwood Ave.
Edison, NJ 08837. USA
Phone 732 417 1700.
Fax 732 417 1701.
sales@vibialight.com
www.vibialight.com

HEADQUARTERS

GRUPO T DIFFUSION, S.A.
Barcelona, 72 - 74. 08820 El Prat de Llobregat (Barcelona - Spain)